



STACBOND

Coil coating and processing

stacbond.com

Coil coating line of up to 2 m wide



30,000 t/year of coated aluminium coils




Transversal and longitudinal cutting



Thickness from 0.2 to 2 mm





Available coatings: PVDF, FEVE, HDPE, HDPU, PE y PURPA



Coating of coils of up to 2050 mm wide



Aluminium alloys series 5XXX, 3XXX and 1XXX



We create the ideal finish for your project.

We have **our own colour laboratory with expert colourists** to achieve the exact counter type you need or to develop a tailor-made finish for your project.

We have the **experience and capacity to work with any sector** and we adapt to all kinds of requirements.

Wide variety of colors

We produce the most complex and eye-catching finishes on the market: iridescent, textured, embossed or emulations of wood, mineral, anodised or brushed finishes.


We provide you with **painting technologies that meet the highest technical requirements** and aesthetic guarantees.

Environmental commitment

STACBOND is **ISO 14001 certified** because the **Environmental Management System (EMS)** implemented at its facilities complies with the requirements of this standard.

STACBOND has implemented a **waste material recycling plan** to produce new products, thus reducing the environmental footprint.

Product range




COILS

THICKNESS 0,2 - 2

WIDTH 800 - 2050

Aluminium coils coated on one or both sides.
Possibility of embossing.
Available with protective film.
Consult the different alloys and tempers available.




STRIPS

THICKNESS * 0,2 - 2

WIDTH 60 - 800

Aluminium strips coated on one or both sides.
Available with protective film.
Consult the different alloys and tempers available.



PLATES

THICKNESS * 0,2 - 2

WIDTH 800 - 2000

LENGTH (mm) 1000 - 4000

Aluminium plates coated on one or both sides.
Possibility of embossing.
Available with protective film.
Consult the different alloys and tempers Available.

* For thicknesses under 0.45mm, please consult us before ordering.



Any RAL, PANTONE or NCS colour




Double-sided multi-layer painting



Extra layer of protection against corrosive environments available



Headquarters and production complex
80000 m²



Comprehensive coil solutions

At STACBOND, our aim is to help our customers to succeed. With this goal in mind, we develop innovative products and processes that set the standard for quality and eco-efficiency.

Our range of coil-coated aluminium sheets is comprised of coils, strips and plates that can reach up to 2.05 m wide, allowing us to offer a wider range of possibilities in numerous industrial and building applications.

For the manufacture of our products, STACBOND has extensive manufacturing and development facilities equipped with the latest technology to ensure quality control and achieve an optimal final product.



Outreach
80 countries



Headquarters
8 delegations



Specialisation
90 engineers



R + D + I
6 technical offices



Facilities
130.000 m²



Staff
+600 employees

STACBOND

Coil coating and processing

