





30,000 t/year of coated aluminium coils



Transversal and longitudinal cutting



Thickness from 0.2 to 2 mm



Available coatings: PVDF, FEVE, HDPE, PE, etc.



Coating of coils of up to 2050 mm wide



Aluminium alloys series 5XXX, 3XXX and 1XXX















More than just colours, it is creating the perfect finish for your project

We have **our own colour labora- tory with the best specialists** to achieve the exact colour you need or to create a custom finish for your project. We offer the most complex and eye-catching finishes on the market.

Custom embossing, printing and cutting


To reach high levels of customisation and creativity, we can process the coils on our embossing line and then cut them to size on our slitter line.

Environmental commitment

STACBOND is ISO 14001 certified, thanks to the Environmental Management System (EMS) implemented at our facilities, which complies with the requirements of this standard.

STACBOND has implemented a waste collection and recycling system to reduce its environmental footprint.

Product range



COILS

THICKNESS 0.2 - 2


WIDTH 800 - 2050

Aluminium coils coated on one or both sides.

Possibility of embossing.

Available with protective film.

Consult the different alloys and tempers available.



STRIPS


THICKNESS 0.2 - 2

WIDTH 60 - 800

Aluminium strips coated on one or both sides.

Available with protective film.

Consult the different alloys and tempers available.



PLATES

THICKNESS 0.2 - 2

WIDTH 800 - 2000

LENGTH (mm) 1000 - 4000

Aluminium plates coated on one or both sides.

Possibility of embossing.

Available with protective film.

Consult the different alloys and tempers available.



Any RAL, PANTONE or NCS colour



Double-sided, triple-layer coating













Comprehensive coil solutions

At STACBOND, our aim is to help our customers to succeed. With this goal in mind, we develop innovative products and processes that set the standard for quality and eco-efficiency.

Our range of coil-coated aluminium sheets is comprised of coils, strips and plates that can reach up to 2.05 m wide, allowing us to offer a wider range of possibilities in numerous industrial and building applications.

For the manufacture of our products, STACBOND has extensive manufacturing and development facilities equipped with the latest technology to ensure quality control and achieve an optimal final product.



Outreach **70 countries**



Headquarters **5 delegations**



Specialisation **80 engineers**



R+D+I

6 technical offices



Facilities 130,000 m²



Staff +600 employees

STACBOND

Coil coating and processing

